

iDash Parameter List - 2016 Mercedes AMG C63S (W205)

Air Density		
Label	Description	Unit
AAD	Density - Ambient Air	LB/1KFT3
BAD	Density - Boost Air	LB/1KFT3
MAD	Density - Manifold Air	LB/1KFT3
AAD	Density % - Ambient Air (J607)	%
MAD	Density % - Manifold Air (J607)	%
DN-ALT	Density Altitude	FT
D-RAT	Density Ratio - System	
J607	Gas Correction Factor SAE J607	
MAD-RR	MAD % Response Rate	%/S
PR-ALT	Pressure Altitude	FT
SAT-P	Saturation Pressure	INHG
VAP-P	Vapor Pressure	INHG

Engine Performance - Air		
Label	Description	Unit
TPS B	Absolute Throttle Pos B	%
TPS C	Absolute Throttle Pos C	%
ABSTPS	Absolute Throttle Position	%
HPC-1K	Ambient Custom Fuel Power Potential per cubic Meters per Min	HP/1K
HPD-1K	Ambient Diesel Power Potential per cubic Meters per Min	HP/1K
HPE-1K	Ambient E85 Power Potential per cubic Meters per Min	HP/1K
HPG-1K	Ambient Gas Power Potential per cubic Meters per Min	HP/1K
HPM-1K	Ambient Methanol Power Potential per cubic Meters per Min	HP/1K
CFM-EN	CFM Engine	CFM
THRT-C	Throttle Commanded	%
THRT-R	Throttle Position Relative	%

Vehicle Performance		
Label	Description	Unit
LOAD	Absolute Engine Load	%
APP D	Accelerator Pedal D	%
APP E	Accelerator Pedal E	%
HP-AMB	Ambient % of Density	%
LOAD	Calculated Engine Load	%
DISP	Engine Displacement	L
HP-MAX	Horsepower Maximum	HP
HP-POT	Horsepower Potential	HP
IGN TM	Ignition Timing Advance	°BTDC

Emissions		
Label	Description	Unit
EVAPCM	Evap Purge Commanded	%
CAT M	Monitor - Catalyst	
COMP M	Monitor - Comprehensive Component	
EGR M	Monitor - EGR and/or VVT System	
FUEL M	Monitor - Fuel System	
MIS M	Monitor - Misfire	
O2S M	Monitor - Oxygen Sensor	
HTR M	Monitor - Oxygen Sensor Heat	

Engine Performance - Fuel		
Label	Description	Unit
AFR1/1	Air Fuel Ratio Bank1 Sensor1	AFR
AFR2/1	Air Fuel Ratio Bank2 Sensor1	AFR
AFRCMD	Air Fuel Ratio Commanded	AFR
AFRERR	Air Fuel Ratio Error	AFR
LOOP	Fuel Closed Loop Status	
LTFT1	Long Term Fuel Trim Bank 1	%
LTFT2	Long Term Fuel Trim Bank 2	%
STFT1	Short Term Fuel Trim Bank 1	%
STFT2	Short Term Fuel Trim Bank 2	%
TFT 1	Total Fuel Trim Bank 1	%
TFT 2	Total Fuel Trim Bank 2	%

Diagnostics		
Label	Description	Unit
MILDIS	Dist Traveled While MIL Active	MILES
DTCTRV	Distance Since DTCS Cleared	MILES
RUN TM	Engine Run Time	MIN
FLAG	Flag	
MIL	MIL Status	
TIME	Time Data Log	S
WARMUP	Warmups Since DTCS Cleared	COUNT

Pressure		
Label	Description	Unit
AAP	Ambient Air Pressure	PSIA
AAP	Ambient Air Pressure (inHg)	INHG
BOOST	Boost Pressure	PSIG
BST-VA	Boost/Vacuum Pressure	PSIG
FRP	Fuel Rail Pressure	PSIA
MAP	Manifold Absolute Pressure	PSIA
MAP B	Manifold Absolute Pressure B	PSIA
MAP	Manifold Air Pressure (inHg)	INHG
P-RAT	Pressure Ratio - System	

Temperature		
Label	Description	Unit
AAT	Ambient Air Temp	°F
AAT	Ambient Air Temp Absolute (in Kelvin)	R
CAT1/1	Catalyst Temp Bank 1 Sensor 1	°F
CAT2/1	Catalyst Temp Bank 2 Sensor 1	°F
SYS-DT	Delta Temperature System	°F
ECT	Engine Coolant Temp	°F
IAT1/1	IAT Bank 1 Sensor 1	°F
IAT2/1	IAT Bank 2 Sensor 1	°F
MAT	Manifold Air Temp	°F

Speed and Velocity		
Label	Description	Unit
RPM-RR	Engine Response Rate	RPM/S
RPM	Engine RPM	
SPEED	Vehicle Speed	MPH

Voltage		
Label	Description	Unit
BATT*	B-Bus Battery Voltage	V
BATT	ECU Battery Voltage	V
O2 1/2	O2 Bank 1 Sensor 2 Volt	V
O2 2/2	O2 Bank 2 Sensor 2 Volt	V
O2 1/1	WB O2 Current Bank1 Sensor1	MA
O2 2/1	WB O2 Current Bank2 Sensor1	MA